



Call Log

Server device for recording, playing, storing video door entry and concierge calls to increase the security of your ViP system.

Comelit[®]
Passion. Technology. Design.


VIP SYSTEM. THE INTERNET PROTOCOL VIDEO ENTRY PHONE SYSTEM APPLIED TO SMALL, MEDIUM AND LARGE RESIDENTIAL COMPLEXES AND TERTIARY (INDUSTRIAL AND COMMERCIAL) CONTEXTS.

Comelit's commitment to innovation in the video entry sector has found its ultimate expression in this system, which fully utilises the advantages of internet protocol and integrated digital communication. VIP System breezes past every limit: number of users, simultaneous conversations, distance... Its versatility, which allows it to use dedicated wiring or an existing LAN, makes it the benchmark system for new-build complexes or complexes undergoing renovation or system upgrading.



Call Log

Records and stores calls to increase ViP video entry phone system security.



SYSTEM CONFIGURATION


This function can be used to set the following parameters:

- maximum duration of each automatic recording;
- single or grouped selection of the external units to be recorded;
- single or grouped selection of the internal units and/or switchboards to be recorded;
- storage period (1-60 days).




SYSTEM SECURITY

- password protection for access to software
- password protection for system configuration



Comelit Client Software



CLIENT SOFTWARE

The software is available to download free of charge from the website www.comelitgroup.com

EXPORT RECORDINGS


Export recordings to removable storage (e.g. USB).

PLAY RECORDINGS

Play and manage recordings via Play/Stop commands.

RECORD VIDEO

Record the video stream from external units when a call is made to switchboards and/or apartments (audio recording may also be available as an option).



FILTER FUNCTION

The FILTER function can be used to select the saved video clips and play them according to the following parameters:

- date
- time
- external unit making the call
- internal unit
- switchboard receiving the call



1459 - ViP SYSTEM CALL LOG

Server device for ViP system that allows the recording, storage and playback of calls from external units. Complete with Call-Log administrator software for settings (IP address, date, time, enable audio, video or audio-video recording, recording duration and recording storage time) and recording filters (days of the week, external unit making the call, internal unit receiving the call). Compatible with Windows operating systems. 19 Vdc power supply. Power unit supplied with 100-240 Vac 50/60 Hz input and 19 Vdc output. Dimensions: 190x190x55 mm.

Cod. 2632000361
8 023903 128978

www.comelitgroup.com

 **Comelit**[®]
Passion. Technology. Design.